

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): A dispenser head for a fluid dispenser device for dispensing a fluid, said dispenser head being characterized in that it comprises an inner body (10) defining a dispensing channel (11) for the fluid, said channel (11) being terminated by a dispensing orifice (12), and a separate outer body (20) defining an actuating surface (21) on which the user presses to actuate the dispenser device, said inner body (10) incorporating said dispensing orifice (12) being fixed in non-removable manner to said dispenser device and said outer body (20) being fitted over said inner body (10) in removable manner such that, in the event that an attempt is made to tear off or to remove said dispenser head, only said outer body (20) is removable, said inner body (20) remaining fixed to said dispenser device.

2. (original): A head according to claim 1, in which the inner body (10) has an outside radial shoulder (19) co-operating with a corresponding inside radial shoulder (29) of the outer body (20) to define the assembled position of the head.

3. (previously presented): A head according to claim 1, in which the outer body (20) is a push fit on the inner body (10).

4. (previously presented): A head according to claim 1, in the form of a pusher for a nasal applicator, the pusher comprising a frustoconical elongate portion (15, 25) designed to penetrate in part into the nostril, and a wider portion (21) forming the actuating surface.

5. (original): A head according to claim 4, in which the outer body (20) incorporates the frustoconical portion (25) and the wider portion (21).

6. (original): A head according to claim 4, in which the inner body (10) incorporates the frustoconical portion (15), and the outer body (20) incorporates the wider portion (21).

7. (original): A head according to claim 6, in which the inner body (10) comprises a hollow tubular member (13), and a frustoconical skirt (15) extending around said tubular member (13) to form said frustoconical portion, the free end of said skirt (15) incorporating a radial shoulder (19) for co-operating with the outer body (20).

8. (original): A head according to claim 7, in which the free end of said frustoconical skirt (15) is provided with a sharp edge (17) at its axial end surface.

9. (previously presented): A head according to claim 1, in which the inner body (10) is provided with fixing means (18), such as snap-fastening means, for fixing to said dispenser device.

10. (previously presented): A fluid dispenser device comprising a fluid reservoir (1), and a dispenser member (2) such as a pump, said fluid dispenser device being characterized in that it further comprises a dispenser head according to claim 1.

11. (previously presented): A fluid dispenser device according to claim 10, in which said inner body (10) of the head is snap-fastened to an actuating rod (3) of the pump (2) so that, in the event that an attempt is made to tear off or remove the head, the inner body (10), together with the closure means (40), remains fixed to said pump (2), thereby preventing any contamination of the fluid contained in the reservoir (1).

12. (previously presented): A fluid dispenser device according to claim 10, in which said inner body (10) of the head is provided with closure means (40) at the dispensing orifice (12).

13. (previously presented): A dispenser head for a fluid dispenser device for dispensing a fluid, comprising:

an inner body (10) defining a dispensing channel (11) for the fluid, said channel (11) being terminated by a dispensing orifice (12) that defines a spray profile; and

an outer body (20), distinct and coupled to the inner body, defining an actuating surface (21) on which a user presses to actuate the dispenser device;

wherein the inner body (10) is fixed to the dispenser device and the outer body (20) is fitted over the inner body (10) in a removable non-frangible manner such that the inner body cannot be simultaneously removed from the fluid dispenser device with the outer body.

14. (previously presented): The fluid dispenser device according to claim 13, wherein the inner body (10) is fixed in a non-removable manner to the dispenser device so that in the event that an attempt is made to tear off or to remove the dispenser head, only the outer body (20) is removable, the inner body (20) remaining fixed to said dispenser device.

15. (new): A dispensing device, comprising:
a reservoir;
a pump; and
a dispenser head for dispensing fluid from the reservoir;
wherein the dispenser head comprises an inner body (10) defining a dispensing channel (11) for the fluid, the channel (11) being terminated by a dispensing orifice (12); and a separate outer body (20) defining an actuating surface (21) on which the user presses to actuate the dispenser device; and

wherein the inner body (10) comprises the dispensing orifice (12) and is fixed in a non-removable manner to the pump and the outer body (20) is fitted over the inner body (10) in a removable manner such that, in the event that an attempt is made to tear off or to remove the

AMENDMENT UNDER 37 C.F.R. § 1.116
U.S. Application No. 09/980,631

Attorney Docket No.: Q67463

dispenser head, only the outer body (20) is removable, said inner body (20) remaining fixed to the pump.